## Pict Snip: Build Snips from Picts

Version 8.15.0.7

## December 3, 2024

(require pict/snip)

package: pict-snip-lib

The pict/snip library constructs snip% instances that draw based on a given pict? object.

```
pict-snip% : class?
   superclass: snip%
```

```
(new pict-snip% [pict pict]) → (is-a?/c pict-snip%)
pict : pict?
```

Creates a pict-snip% object, using pict to draw.

```
(send a-pict-snip get-pict) \rightarrow pict?
```

Returns the pict passed to the constructor.

```
(send a-pict-snip get-extent dc
                              х
                              у
                              W
                              h
                              descent
                              lspace
                              rspace) \rightarrow void?
 dc : (is-a?/c dc<%>)
 x : real?
 y : real?
 w : (or/c (box/c (and/c real? (not/c negative?))) #f)
 h : (or/c (box/c (and/c real? (not/c negative?))) #f)
 descent : (or/c (box/c (and/c real? (not/c negative?))) #f)
 lspace : (or/c (box/c (and/c real? (not/c negative?))) #f)
 rspace : (or/c (box/c (and/c real? (not/c negative?))) #f)
```

Updates the arguments based on the size of the pict returned from get-pict.

```
(send a-pict-snip draw dc
                        х
                        y
                        left
                        top
                        right
                        bottom
                        dx
                        dy
                        draw-caret) \rightarrow void?
 dc : (is-a?/c dc<%>)
 x : real?
 y : real?
 left : real?
 top : real?
 right : real?
 bottom : real?
 dx : real?
 dy : real?
 draw-caret : (or/c 'no-caret 'show-inactive-caret 'show-caret
                      (cons/c exact-nonnegative-integer?
                              exact-nonnegative-integer?))
```

Overrides draw in snip%.

Draws the pict returned from get-pict.

(send a-pict-snip write f) → void?
f : (is-a?/c editor-stream-out%)

Uses a record-dc% to write the way that the result of get-pict draws and saves that to f.

(send a-pict-snip copy)  $\rightarrow$  (is-a?/c pict-snip%)

Returns a snip that has the same pict as this one.

snipclass : (is-a?/c snip-class%)

The snip-class% instance used by instances of pict-snip%.

reader : (is-a?/c snip-reader<%>)

The snip-reader<%> instance used by the wxme library.