

Web Server: HTTP Server

Version 8.15.0.11

Jay McCarthy

December 25, 2024

This manual describes the internals of the Racket Web Server.

1 Dispatching Server

The Web Server is just a configuration of a dispatching server.

1.1 Dispatching Server Signatures

```
(require web-server/private/dispatch-server-sig)
      package: web-server-lib
```

The `web-server/private/dispatch-server-sig` library provides the signatures `dispatch-server^`, `dispatch-server-connect^`, and `dispatch-server-config*^`.

`dispatch-server^` : signature

The `dispatch-server^` signature is an alias for `web-server^`.

```
(serve [#:confirmation-channel confirmation-
ach]) → (-> any)
confirmation-ach : (or/c #f (async-channel/c      = #f
                    (or/c exn? port-number?)))
```

Runs the server. The confirmation channel, if provided, will be sent an exception if one occurs while starting the server or the port number if the server starts successfully.

Calling the returned procedure shuts down the server.

```
(serve-ports ip op) → any
ip : input-port?
op : output-port?
```

Asynchronously serves a single connection represented by the ports `ip` and `op`.

`dispatch-server-connect^` : signature

The `dispatch-server-connect^` signature abstracts the conversion of connection ports (e.g., to implement SSL) as used by the dispatch server.

```
(port->real-ports ip op) → input-port? output-port?
ip : input-port?
op : output-port?
```

Converts connection ports as necessary.

The connection ports are normally TCP ports, but an alternate implementation of `tcp^` linked to the dispatcher can supply different kinds of ports.

`dispatch-server-config*^` : signature

Added in version 1.6 of package `web-server-lib`.

`port` : `listen-port-number?`

Specifies the port to serve on.

`listen-ip` : `(or/c string? #f)`

Passed to `tcp-listen`.

`(read-request c p port-addresses)` → `any/c boolean?`
`c` : `connection?`
`p` : `listen-port-number?`
`port-addresses` : `(input-port? . -> . (values string? string?))`

Defines the way the server reads requests off connections to be passed to `dispatch`. The `port-addresses` argument should be a procedure like `tcp-addresses`.

The first result of `read-request` is ordinarily a `request` value, but that is not a requirement at the dispatch-server level. The second result is `#true` if the connection `c` should be closed after handling this request, or `#false` if the connection may be reused.

`dispatch` : `(-> connection? any/c any)`

Used to handle requests. The second argument to `dispatch` is ordinarily a `request` value, like the first result of `read-request`, but that is not a requirement at the dispatch-server level.

`safety-limits` : `safety-limits?`

A safety limits value specifying the policies to be used while reading and handling requests.

`dispatch-server-config^` : signature

NOTE: This signature is deprecated; use `dispatch-server-config*`, instead.

For backwards compatibility, `dispatch-server-config*` extends `dispatch-server-config*` and uses `define-values-for-export` to define `safety-limits` as:

```
(make-safety-limits
 #:max-waiting max-waiting
 #:request-read-timeout initial-connection-timeout)
```

Changed in version 1.6 of package `web-server-lib`: Deprecated in favor of `dispatch-server-config*`. See compatibility note.

`max-waiting` : `exact-nonnegative-integer?`

Passed to `make-safety-limits`.

`initial-connection-timeout` : `timeout/c`

Passed to `make-safety-limits` as its `#:request-read-timeout` argument.

Changed in version 1.6 of package `web-server-lib`: Loosened contract for consistency with `make-safety-limits`.

1.2 Safety Limits

```
(require web-server/safety-limits)      package: web-server-lib
```

```
(safety-limits? v) → boolean?
 v : any/c
```

```

(make-safety-limits
  [#:max-concurrent max-concurrent
   #:max-waiting max-waiting
   #:request-read-timeout request-read-timeout
   #:max-request-line-length max-request-line-length
   #:max-request-headers max-request-headers
   #:max-request-header-length max-request-header-length
   #:max-request-body-length max-request-body-length
   #:max-form-data-parts max-form-data-parts
   #:max-form-data-header-length max-form-data-header-length
   #:max-form-data-files max-form-data-files
   #:max-form-data-file-length max-form-data-file-length
   #:form-data-file-memory-threshold form-data-file-memory-threshold
   #:max-form-data-fields max-form-data-fields
   #:max-form-data-field-length max-form-data-field-length
   #:response-timeout response-timeout
   #:response-send-timeout response-send-timeout])
→ safety-limits?
max-concurrent : positive-count/c = 10000
max-waiting : exact-nonnegative-integer? = 511
request-read-timeout : timeout/c = 60
max-request-line-length : nonnegative-length/c
                        = (* 8 1024) ; 8 KiB
max-request-headers : nonnegative-length/c = 100
max-request-header-length : nonnegative-length/c
                          = (* 8 1024) ; 8 KiB
max-request-body-length : nonnegative-length/c
                        = (* 1 1024 1024) ; 1 MiB
max-form-data-parts : nonnegative-length/c
                    = (+ max-form-data-fields max-form-data-files)
max-form-data-header-length : nonnegative-length/c
                            = (* 8 1024) ; 8 KiB
max-form-data-files : nonnegative-length/c = 100
max-form-data-file-length : nonnegative-length/c
                          = (* 10 1024 1024) ; 10 MiB
form-data-file-memory-threshold : nonnegative-length/c
                                = (* 1 1024 1024) ; 1 MiB
max-form-data-fields : nonnegative-length/c = 100
max-form-data-field-length : nonnegative-length/c
                           = (* 8 1024) ; 8 KiB
response-timeout : timeout/c = 60
response-send-timeout : timeout/c = 60
nonnegative-length/c : flat-contract?
= (or/c exact-nonnegative-integer? +inf.0)
positive-count/c : flat-contract?
= (or/c exact-positive-integer? +inf.0)

```

```
timeout/c : flat-contract? = (>=/c 0)
```

The web server uses opaque *safety limits* values, recognized by the predicate `safety-limits?`, to encapsulate policies for protection against misbehaving or malicious clients and servlets. Construct safety limits values using `make-safety-limits`, which supplies reasonably safe default policies that should work for most applications. See the compatibility note and `make-unlimited-safety-limits` for further details.

The arguments to `make-safety-limits` are used as follows:

- The `max-concurrent` argument limits the number of open concurrent connections to the server. Once the limit is reached, new connections are queued at the TCP level (see `max-waiting`) until existing connections finish or time out.
- The `max-waiting` argument is passed to `tcp-listen` to specify the maximum number of client connections that can be waiting for acceptance. When `max-waiting` clients are waiting for acceptance, no new client connections can be made.
- The `request-read-timeout` limits how long, in seconds, the standard `read-request` implementation (e.g. from `serve` or `web-server@`) will wait for request data to come in from the client before it closes the connection. If you need to support large file uploads over slow connections, you may need to adjust this value.
- The `max-request-line-length` limits the length (in bytes) of the the first line of an HTTP request (the “request line”), which specifies the request method, path, and protocol version. Requests with a first line longer than `max-request-line-length` are rejected by the standard `read-request` implementation (e.g. from `serve` or `web-server@`). Increase this if you have very long URLs, but see also `is-url-too-big?`.
- The `max-request-headers` and `max-request-header-length` arguments limit the number of headers allowed per HTTP request and the length, in bytes, of an individual request header, respectively. Requests that exceed these limits are rejected by the standard `read-request` implementation (e.g. from `serve` or `web-server@`).
- The `max-request-body-length` limits the size, in bytes, of HTTP request bodies—but it does not apply to multipart (file upload) requests: see `max-form-data-files` and related limits, below. Requests with bodies longer than `max-request-body-length` are rejected by the standard `read-request` implementation (e.g. from `serve` or `web-server@`).
- The `max-form-data-files`, `max-form-data-fields`, `max-form-data-file-length`, `max-form-data-field-length`, `max-form-data-parts`, `form-data-file-memory-threshold`, and `max-form-data-header-length` arguments control the handling of multipart/form-data (file upload) requests by the standard `read-request` implementation (e.g. from `serve` or `web-server@`).

The number of files and non-file “fields” per request are limited by `max-form-data-files` and `max-form-data-fields`, respectively, and `max-form-data-file-length` and `max-form-data-field-length` limit the length, in bytes, of an individual file or non-file field. Additionally, the total number of “parts,” which includes both files and fields, must not exceed `max-form-data-parts`. Requests that exceed these limits are rejected.

Files longer than `request-file-memory-threshold`, in bytes, are automatically offloaded to disk as temporary files to avoid running out of memory.

The `max-form-data-header-length` argument limits the length of a header for an individual part (file or field). Since such headers are already tightly constrained by RFC 7578 §4.8., it should be especially rare to need to increase this limit, but doing so could allow for exceptionally long file or field names.

- The `response-timeout` and `response-send-timeout` arguments limit the time for which individual request handlers (as in `dispatch`) are allowed to run.

The `response-timeout` specifies the maximum time, in seconds, that a handler is allowed to run after the request has been read before it writes its first byte of response data. If no data is written within this time limit, the connection is killed.

The `response-send-timeout` specifies the maximum time, in seconds, that the server will wait for a chunk of response data. Each time a chunk of data is sent to the client, this timeout resets. If your application uses streaming responses or long polling, either adjust this value or make sure that your request handler sends data periodically, such as a no-op, to avoid hitting this limit.

Compatibility note: The safety limits type may be extended in the future to provide additional protections. Creating safety limits values with `make-safety-limits` will allow applications to take advantage of reasonable default values for any new limits that are added. However, adding new limits does have the potential to break some existing applications: as an alternative, the `make-unlimited-safety-limits` constructor uses default values that avoid imposing any limits that aren’t explicitly specified. (In most cases, this means a default of `+inf.0`.) Of course, applications using `make-unlimited-safety-limits` may remain vulnerable to threats which the values from `make-safety-limits` would have protected against.

The safety limits type was introduced in version 1.6 of the `web-server-lib` package. Previous versions of this library only supported the `max-waiting` limit and (in some cases) an `initial-connection-timeout` limit, which was similar to `request-read-timeout`, but had some problems. These limits were specified through `dispatch-server-config`, `web-config`, and optional arguments to functions like `serve`: if values weren’t explicitly supplied, the default behavior was closest to using `(make-unlimited-safety-limits #:request-read-timeout 60)`.

However, version 1.6 adopted `(make-safety-limits)` as the default, as most applications would benefit from using reasonable protections. When porting from earlier versions of this library, if you think your application may be especially resource-intensive, you may

prefer to use `make-unlimited-safety-limits` while determining limits that work for your application.

Added in version 1.6 of package `web-server-lib`.

Changed in version 1.11 of package `web-server-lib`: added the `max-concurrent` limit

```
(make-unlimited-safety-limits
 [#:max-concurrent max-concurrent
  #:max-waiting max-waiting
  #:request-read-timeout request-read-timeout
  #:max-request-line-length max-request-line-length
  #:max-request-headers max-request-headers
  #:max-request-header-length max-request-header-length
  #:max-request-body-length max-request-body-length
  #:max-request-files max-request-files
  #:max-request-file-length max-request-file-length
  #:request-file-memory-threshold request-file-memory-threshold
  #:max-form-data-parts max-form-data-parts
  #:max-form-data-header-length max-form-data-header-length
  #:max-form-data-files max-form-data-files
  #:max-form-data-file-length max-form-data-file-length
  #:form-data-file-memory-threshold form-data-file-memory-threshold
  #:max-form-data-fields max-form-data-fields
  #:max-form-data-field-length max-form-data-field-length
  #:response-timeout response-timeout
  #:response-send-timeout response-send-timeout])
→ safety-limits?
max-concurrent : positive-count/c = +inf.0
max-waiting : exact-nonnegative-integer? = 511
request-read-timeout : timeout/c = +inf.0
max-request-line-length : nonnegative-length/c = +inf.0
max-request-headers : nonnegative-length/c = +inf.0
max-request-header-length : nonnegative-length/c = +inf.0
max-request-body-length : nonnegative-length/c = +inf.0
max-request-files : nonnegative-length/c = +inf.0
max-request-file-length : nonnegative-length/c = +inf.0
request-file-memory-threshold : nonnegative-length/c = +inf.0
max-form-data-parts : nonnegative-length/c = +inf.0
max-form-data-header-length : nonnegative-length/c = +inf.0
max-form-data-files : nonnegative-length/c = +inf.0
max-form-data-file-length : nonnegative-length/c = +inf.0
form-data-file-memory-threshold : nonnegative-length/c
                                = +inf.0
max-form-data-fields : nonnegative-length/c = +inf.0
max-form-data-field-length : nonnegative-length/c = +inf.0
response-timeout : timeout/c = +inf.0
```



```
response-send-timeout : timeout/c = +inf.0
```

Like `make-safety-limits`, but with default values that avoid imposing any limits that aren't explicitly specified, rather than the safer defaults of `make-safety-limits`. Think carefully before using `make-unlimited-safety-limits`, as it may leave your application vulnerable to denial of service attacks or other threats that the default values from `make-safety-limits` would mitigate. See the compatibility note for more details.

Note that the default value for `max-waiting` is `511`, *not* `+inf.0`, due to the contract of `tcp-listen`.

Added in version 1.6 of package `web-server-lib`.

Changed in version 1.11 of package `web-server-lib`: added the `max-concurrent` limit

1.3 Dispatching Server Unit

```
(require web-server/private/dispatch-server-unit)
package: web-server-lib
```

The `web-server/private/dispatch-server-unit` module provides the unit that actually implements a dispatching server.

```
dispatch-server-with-connect@
: (unit/c (import tcp^
              dispatch-server-connect^
              dispatch-server-config*^)
         (export dispatch-server^))
```

Runs the dispatching server config in a very basic way, except that it uses §5.2 “Connection Manager” to manage connections.

Added in version 1.1 of package `web-server-lib`.

Changed in version 1.6: Use `dispatch-server-config*^` rather than `dispatch-server-config^`. See compatibility note.

```
dispatch-server@ : (unit/c (import tcp^
                              dispatch-server-config*^)
                    (export dispatch-server^))
```

Like `dispatch-server-with-connect@`, but using `raw:dispatch-server-connect@`.

Changed in version 1.6 of package `web-server-lib`: Use `dispatch-server-config*^` rather than `dispatch-server-config^`. See compatibility note.

1.4 Threads and Custodians

The dispatching server runs in a dedicated thread. Every time a connection is initiated, a new thread is started to handle it. Connection threads are created inside a dedicated custodian that is a child of the server's custodian. When the server is used to provide servlets, each servlet also receives a new custodian that is a child of the server's custodian **not** the connection custodian.

2 Dispatchers

Since the Web Server is really just a particular configuration of a dispatching server, there are several dispatchers that are defined to support the Web Server. Other dispatching servers may find these useful. In particular, if you want a peculiar processing pipeline for your Web Server installation, refer to this documentation.

2.1 General

```
(require web-server/dispatchers/dispatch)
package: web-server-lib
```

This module provides a few functions for dispatchers in general.

```
| dispatcher/c : contract?
```

Equivalent to `(-> connection? request? any)`.

Changed in version 1.3 of package `web-server-lib`: Weakened the range contract to allow `any`

```
| (dispatcher-interface-version/c any) → boolean?
  any : any/c
```

Equivalent to `(symbols 'v1)`

```
| (struct exn:dispatcher ()
  #:extra-constructor-name make-exn:dispatcher)
```

An exception thrown to indicate that a dispatcher does not apply to a particular request.

```
| (next-dispatcher) → any
```

Raises a `exn:dispatcher`

As the `dispatcher/c` contract suggests, a dispatcher is a function that takes a connection and request object and does something to them. Mostly likely it will generate some response and output it on the connection, but it may do something different. For example, it may apply some test to the request object, perhaps checking for a valid source IP address, and error if the test is not passed, and call `next-dispatcher` otherwise.

Consider the following example dispatcher, that captures the essence of URL rewriting:

```

; (url? -> url?) dispatcher/c -> dispatcher/c
(lambda (rule inner)
  (lambda (conn req)
    ; Call the inner dispatcher...
    (inner conn
      ; with a new request object...
      (struct-copy request req
        ; with a new URL!
        [request-uri (rule (request-uri req))])))

```

2.2 Mapping URLs to Paths

```

(require web-server/dispatchers/filesystem-map)
package: web-server-lib

```

This module provides a means of mapping URLs to paths on the filesystem.

`url->path/c` : contract?

This contract is equivalent to `(->* (url?) (path? (listof path-piece?)))`. The returned `path?` is the path on disk. The list is the list of path elements that correspond to the path of the URL.

`(make-url->path base)` → `url->path/c`
`base` : `path-string?`

The `url->path/c` returned by this procedure considers the root URL to be `base`. It ensures that `".."`s in the URL do not escape the `base` and removes them silently otherwise.

`(make-url->valid-path url->path)` → `url->path/c`
`url->path` : `url->path/c`

Runs the underlying `url->path`, but only returns if the path refers to a file that actually exists. If it does not, then the suffix elements of the URL are removed until a file is found. If this never occurs, then an error is thrown.

This is primarily useful for dispatchers that allow path information after the name of a service to be used for data, but where the service is represented by a file. The most prominent example is obviously servlets.

`(filter-url->path regex url->path)` → `url->path/c`

```
regex : regexp?  
url->path : url->path/c
```

Runs the underlying `url->path` but will only return if the path, when considered as a string, matches the `regex`. This is useful to disallow strange files, like GIFs, from being considered servlets when using the servlet dispatchers. It will return a `exn:fail:filesystem:exists?` exception if the path does not match.

2.3 Sequencing

```
(require web-server/dispatchers/dispatch-sequencer)  
package: web-server-lib
```

The `web-server/dispatchers/dispatch-sequencer` module defines a dispatcher constructor that invokes a sequence of dispatchers until one applies.

```
(make dispatcher ...) → dispatcher/c  
dispatcher : dispatcher/c
```

Invokes each `dispatcher`, invoking the next if the first calls `next-dispatcher`. If no `dispatcher` applies, then it calls `next-dispatcher` itself.

2.4 Timeouts

```
(require web-server/dispatchers/dispatch-timeout)  
package: web-server-lib
```

The `web-server/dispatchers/dispatch-timeout` module defines a dispatcher constructor that changes the timeout on the connection and calls the next dispatcher.

```
(make new-timeout) → dispatcher/c  
new-timeout : integer?
```

Changes the timeout on the connection with `adjust-connection-timeout!` called with `new-timeout`.

2.5 Lifting Procedures

```
(require web-server/dispatchers/dispatch-lift)
```

```
package: web-server-lib
```

The `web-server/dispatchers/dispatch-lift` module defines a dispatcher constructor.

```
(make proc) → dispatcher/c  
proc : (request? . -> . response?)
```

Constructs a dispatcher that calls `proc` on the request object, and outputs the response to the connection.

2.6 Filtering Requests by URL

```
(require web-server/dispatchers/dispatch-filter)  
package: web-server-lib
```

The `web-server/dispatchers/dispatch-filter` module defines a dispatcher constructor that calls an underlying dispatcher with all requests that pass a predicate.

```
(make regex inner) → dispatcher/c  
regex : regexp?  
inner : dispatcher/c
```

Calls `inner` if the URL path of the request, converted to a string, matches `regex`. Otherwise, calls `next-dispatcher`.

2.7 Filtering Requests by Method

```
(require web-server/dispatchers/dispatch-method)  
package: web-server-lib
```

The `web-server/dispatchers/dispatch-method` module defines a dispatcher constructor that calls an underlying dispatcher provided the request method belongs to a given list.

```
(make method inner) → dispatcher/c  
method : (or/c symbol? (listof symbol?))  
inner : dispatcher/c
```

Calls `inner` if the method of the request, converted to a string, case-insensitively matches `method` (if method is a symbol, or, if a list, one of the elements of `method`). Otherwise, calls `next-dispatcher`.

2.8 Procedure Invocation upon Request

```
(require web-server/dispatchers/dispatch-pathprocedure)
package: web-server-lib
```

The `web-server/dispatchers/dispatch-pathprocedure` module defines a dispatcher constructor for invoking a particular procedure when a request is given to a particular URL path.

```
(make path proc) → dispatcher/c
  path : string?
  proc : (request? . -> . response?)
```

Checks if the request URL path as a string is equal to `path` and if so, calls `proc` for a response.

This is used in the standard Web Server pipeline to provide a URL that refreshes the password file, servlet cache, etc.

2.9 Logging

```
(require web-server/dispatchers/dispatch-logresp)
package: web-server-lib
```

The `web-server/dispatchers/dispatch-logresp` module defines a dispatcher constructor for transparent logging of requests and responses.

```
format-reqresp/c : contract?
```

Equivalent to `(or/c (-> request? string?) (-> request? response? string?))`.

```
paren-format : format-reqresp/c
```

Formats a request and a response by:

```
(format
  "~s\n"
  (list 'from (request-client-ip req)
        'to (request-host-ip req)
        'for (url->string (request-uri req))
        'at (date->string
              (seconds->date (current-seconds)) #t)
        'code (response-code resp)))
```

`extended-format` : `format-reqresp/c`

Formats a request and a response by:

```
(format
  "~s\n"
  `((client-ip ,(request-client-ip req))
    (host-ip ,(request-host-ip req))
    (referer
      ,(let ([R (headers-assq*
                  #"Referer"
                  (request-headers/raw req))])
          (if R
              (header-value R)
              #f))))
    (uri ,(url->string (request-uri req)))
    (time ,(current-seconds))
    (code ,(response-code resp))))
```

`apache-default-format` : `format-reqresp/c`

Formats a request and a response like Apache's default. However, Apache's default includes information about the size of the object returned to the client, which this function does not have access to, so it defaults the last field to `=`.

`combined-log-format` : `format-reqresp/c`

Formats a request and a response to approximate the Combined Log Format. As this function does not have access to the size of the object returned to the client, it defaults the field to `=`.

`log-format/c` : `contract?`

Equivalent to `(symbols 'parenthesized-default 'extended 'apache-default 'combined)`.

`(log-format->format id) → format-reqresp/c`
`id` : `log-format/c`

Maps `'parenthesized-default` to `paren-format`, `'extended` to `extended-format`, `'apache-default` to `apache-default-format`, and `'combined` to `combined-log-format`


```
(make [#:format format
      #:log-path log-path]
      dispatcher) → dispatcher/c
format : (or/c log-format/c format-reqresp/c) = paren-format
log-path : (or/c path-string? output-port?) = "log"
dispatcher : dispatcher/c
```

If *dispatcher* is successfully dispatched, logs requests and responses (without the *body* information) to *log-path*, which can be either a filepath or an *output-port?*, using *format* to format the requests and responses (or just requests if *format* only accepts one argument). If *format* is a symbol, a log formatter will be tacitly made using *log-format->format*.

Added in version 1.12 of package *web-server-lib*.

2.10 Basic Logging

```
(require web-server/dispatchers/dispatch-log)
package: web-server-lib
```

The *web-server/dispatchers/dispatch-log* module defines a dispatcher constructor for transparent logging of requests. Consider using the facilities in §2.9 “Logging” instead, as it provides more flexibility.

```
format-req/c : contract?
```

Equivalent to `(-> request? string?)`.

```
paren-format : format-req/c
```

Formats a request like its counterpart in §2.9 “Logging”, but without the response code information.

```
extended-format : format-req/c
```

Formats a request like its counterpart in §2.9 “Logging”, but without the response code information.

```
apache-default-format : format-req/c
```

Formats a request like Apache’s default. However, Apache’s default includes information about the response to a request, which this function does not have access to, so it defaults the last two fields to `=` and `=`.

```
combined-log-format : format-req/c
```

Formats a request and a response to approximate the Combined Log Format. As this function does not have access to the size of the object returned to the client, it defaults the field to `=`.

```
log-format/c : contract?
```

Equivalent to `(symbols 'parenthesized-default 'extended 'apache-default 'combined)`.

```
(log-format->format id) → format-req/c  
id : log-format/c
```

Maps `'parenthesized-default` to `paren-format`, `'extended` to `extended-format`, `'apache-default` to `apache-default-format`, and `'combined` to `combined-log-format`

```
(make [#:format format #:log-path log-path]) → dispatcher/c  
format : (or/c log-format/c format-req/c) = paren-format  
log-path : (or/c path-string? output-port?) = "log"
```

Logs requests to `log-path`, which can be either a filepath or an `output-port?`, using `format` to format the requests. If `format` is a symbol, a log formatter will be tacitly made using `log-format->format`. Then invokes `next-dispatcher`.

Changed in version 1.3 of package `web-server-lib`: Allow `log-path` to be an `output-port?`
Changed in version 1.8: Allow `format` to be a symbol (more precisely, a `log-format/c`).

2.11 Password Protection

```
(require web-server/dispatchers/dispatch-passwords)  
package: web-server-lib
```

The `web-server/dispatchers/dispatch-passwords` module defines a dispatcher constructor that performs HTTP Basic authentication filtering.

```
denied?/c : contract?
```

Equivalent to `(-> request? (or/c false/c string?))`. The return is the authentication realm as a string if the request is not authorized and `#f` if the request is authorized.

```
(make denied?  
 [#:authentication-responder authentication-responder])
```

```

→ dispatcher/c
  denied? : denied?/c
  authentication-responder : (url? header? . -> . response?)
                           = (gen-authentication-responder "forbidden.html")

```

A dispatcher that checks if the request is denied based on *denied?*. If so, then *authentication-responder* is called with a *header* that requests credentials. If not, then *next-dispatcher* is invoked.

```

authorized?/c : contract?

```

Equivalent to `(-> string? (or/c false/c bytes?) (or/c false/c bytes?) (or/c false/c string?))`. The input is the URI as a string and the username and passwords as bytes. The return is the authentication realm as a string if the user is not authorized and `#f` if the request is authorized.

```

(make-basic-denied?/path authorized?) → denied?/c
  authorized? : authorized?/c

```

Creates a denied procedure from an authorized procedure.

```

(password-file->authorized? password-file)
→ (-> void) authorized?/c
  password-file : path-string?

```

Creates an authorization procedure based on the given password file. The first returned value is a procedure that refreshes the password cache used by the authorization procedure.

password-file is parsed as:

```

(list ([domain : string?]
      [path : string?] ; This string is interpreted as a regex
      (list [user : symbol?]
            [pass : string?])
      ...))
...))

```

For example:

```

'(("secret stuff" "/secret(/.*)?" (bubba "bbq") (Billy "BoB")))

```

2.12 Virtual Hosts

```

(require web-server/dispatchers/dispatch-host)

```

```
package: web-server-lib
```

The `web-server/dispatchers/dispatch-host` module defines a dispatcher constructor that calls a different dispatcher based upon the host requested.

```
(make lookup-dispatcher) → dispatcher/c  
lookup-dispatcher : (symbol? . -> . dispatcher/c)
```

Extracts a host from the URL requested, or the Host HTTP header, calls `lookup-dispatcher` with the host, and invokes the returned dispatcher. If no host can be extracted, then `'none` is used.

2.13 Serving Files

```
(require web-server/dispatchers/dispatch-files)  
package: web-server-lib
```

The `web-server/dispatchers/dispatch-files` module allows files to be served. It defines a dispatcher construction procedure.

```
(make  
 #:url->path url->path  
 [#:path->mime-type path->mime-type  
 #:path->headers path->headers  
 #:indices indices  
 #:cache-max-age cache-max-age  
 #:cache-smaxage cache-smaxage  
 #:cache-stale-while-revalidate cache-stale-while-revalidate  
 #:cache-stale-if-error cache-stale-if-error  
 #:cache-no-cache cache-no-cache  
 #:cache-no-store cache-no-store  
 #:cache-no-transform cache-no-transform  
 #:cache-must-revalidate cache-must-revalidate  
 #:cache-proxy-revalidate cache-proxy-revalidate  
 #:cache-must-understand cache-must-understand  
 #:cache-private cache-private  
 #:cache-public cache-public  
 #:cache-immutable cache-immutable])  
→ dispatcher/c  
url->path : url->path/c  
path->mime-type : (path? . -> . (or/c false/c bytes?))  
                = (lambda (path) #f)  
path->headers : (path? . -> . (listof header?))  
                = (lambda (path) '())
```

```

indices : (listof string?) = (list "index.html" "index.htm")
cache-max-age : (or/c false/c (and/c exact-integer? positive?))
               = #f
cache-smaxage : (or/c false/c (and/c exact-integer? positive?))
               = #f
cache-stale-while-revalidate : (or/c false/c (and/c exact-integer? positive?))
                              = #f
cache-stale-if-error : (or/c false/c (and/c exact-integer? positive?))
                      = #f
cache-no-cache : boolean? = #f
cache-no-store : boolean? = #f
cache-no-transform : boolean? = #f
cache-must-revalidate : boolean? = #f
cache-proxy-revalidate : boolean? = #f
cache-must-understand : boolean? = #f
cache-private : boolean? = #f
cache-public : boolean? = #f
cache-immutable : boolean? = #f

```

Uses `url->path` to extract a path from the URL in the request object. If this path does not exist, then the dispatcher does not apply and `next-dispatcher` is invoked. If the path is a directory, then the `indices` are checked in order for an index file to serve. In that case, or in the case of a path that is a file already, `path->mime-type` is consulted for the MIME Type of the path. Similarly, `path->headers` is consulted for additional headers of the path. The file is then streamed out the connection object.

This dispatcher supports HTTP Range GET requests and HEAD requests. If the request's method is neither HEAD nor GET, `next-dispatcher` will be called.

If the path works out to something on disk (either as a file, or, if the path refers to directory, one of the specified `indices` files in that directory), it needs to be readable by the process that is running the web server. Existing but unreadable files are handled as non-existing files.

The various keyword arguments that start with `cache-` (`cache-public`, `cache-max-age` and so on) all map straightforwardly to legal values that can appear in the standard Cache-Control response header. By default, all are `#f`, which has the effect that responses emitted by this dispatcher do not have a Cache-Control header. If any cache-related keyword has a non-`#f` value, a Cache-Control header will be present in the response. Thus, if `cache-immutable` is `#t` and `cache-max-age` is `12345`, an Cache-Control header will be present in all responses and its value will be `max-age=12345, immutable`. For more information see RFC 2616 section 14.9 "Cache Control" and the Mozilla Developer Network documentation on Cache-Control. Note that some combinations of cache headers may lead to unintended behavior. Example: using `#t` for both `#:cache-public` and `#:cache-private` (those two are effectively antonyms). Beyond the contract for each of the keyword arguments, no additional checks are made by `make` to ensure that the supplied cache-related arguments are a meaningful combination or are suitable for your web application.

Changed in version 1.7 of package `web-server-lib`: Support for non-`{GET,HEAD}` requests.
Changed in version 1.7: Treat unreadable files as non-existing files.
Changed in version 1.9: Support a number of options for setting a `Cache-Control` response header
Changed in version 1.10: Support `#:path->headers`.

2.14 Serving Servlets

```
(require web-server/dispatchers/dispatch-servlets)
package: web-server-lib
```

The `web-server/dispatchers/dispatch-servlets` module defines a dispatcher constructor that runs servlets.

`url->servlet/c` : contract?

Equivalent to `(-> url? servlet?)`

```
(make-cached-url->servlet url->path
                          path->servlet)
→ (->* () ((or/c false/c (listof url?)) (-> servlet? void?)) void?)
    url->servlet/c
    url->path : url->path/c
    path->servlet : path->servlet/c
```

The first return value is a procedure that flushes the cache. If its first optional argument is `#f` (the default), all servlet caches are flushed. Otherwise, only those servlet caches to which `url->path` maps the given URLs are flushed. The second optional argument is a procedure which is invoked on each cached value before it is flushed, which can be used to finalize servlet resources. Beware that the default value `void` performs no finalization. In particular, it does not shut down the servlet's custodian, instead allowing the servlet's custodian-managed resources (such as threads) to persist.

The second return value is a procedure that uses `url->path` to resolve the URL to a path, then uses `path->servlet` to resolve that path to a servlet, caching the results in an internal table.

Changed in version 1.3 of package `web-server-lib`: Added optional argument to first return value for list of URLs.

Changed in version 1.3: Added optional argument to first return value for servlet finalizer procedure.

```
(make url->servlet
      [#:responders-servlet-loading responders-servlet-loading
       #:responders-servlet responders-servlet])
→ dispatcher/c
```

```

url->servlet : url->servlet/c
responders-servlet-loading : (url? exn? . -> . can-be-response?)
                             = servlet-loading-responder
responders-servlet : (url? exn? . -> . can-be-response?)
                    = servlet-error-responder

```

This dispatcher runs racket servlets, using `url->servlet` to resolve URLs to the underlying servlets. If servlets have errors loading, then `responders-servlet-loading` is used. Other errors are handled with `responders-servlet`. If a servlet raises calls `next-dispatcher`, then the signal is propagated by this dispatcher.

2.14.1 Setting Up Servlets

```
(require web-server/servlet/setup)      package: web-server-lib
```

This module is used internally to build and load servlets. It may be useful to those who are trying to extend the server.

```

(make-v1.servlet directory timeout start) → servlet?
  directory : path-string?
  timeout   : integer?
  start     : (request? . -> . can-be-response?)

```

Creates a version 1 servlet that uses `directory` as its current directory, a timeout manager with a `timeout` timeout, and `start` as the request handler.

```

(make-v2.servlet directory manager start) → servlet?
  directory : path-string?
  manager   : manager?
  start     : (request? . -> . can-be-response?)

```

Creates a version 2 servlet that uses `directory` as its current directory, a `manager` as the continuation manager, and `start` as the request handler.

```

(make-stateless.servlet directory
  stuffer
  manager
  start) → servlet?
  directory : path-string?
  stuffer   : (stuffer/c serializable? bytes?)
  manager   : manager?
  start     : (request? . -> . can-be-response?)

```

Creates a stateless `web-server` servlet that uses `directory` as its current directory, `stuffer` as its stuffer, and `manager` as the continuation manager, and `start` as the request handler.

```
default-module-specs : (listof module-path?)
```

The modules that the Web Server needs to share with all servlets.

```
path->servlet/c : contract?
```

Equivalent to `(-> path? servlet?)`.

```
(make-default-path->servlet
  [#:make-servlet-namespace make-servlet-namespace
   #:timeouts-default-servlet timeouts-default-servlet])
-> path->servlet/c
make-servlet-namespace : make-servlet-namespace/c
                        = (make-make-servlet-namespace)
timeouts-default-servlet : integer? = 30
```

Constructs a procedure that loads a servlet from the path in a namespace created with `make-servlet-namespace`, using a timeout manager with `timeouts-default-servlet` as the default timeout (if no manager is given.)

2.14.2 Servlet Namespaces

```
(require web-server/configuration/namespace)
package: web-server-lib
```

This module provides a function to help create the `make-servlet-namespace` procedure needed by the `make` function of `web-server/dispatchers/dispatch-servlets`.

```
make-servlet-namespace/c : contract?
```

Equivalent to

```
(->* ()
  (#:additional-specs (listof module-path?))
  namespace?)
```



```
(make-make-servlet-namespace #:to-be-copied-module-specs to-be-
copied-module-specs)
→ make-servlet-namespace/c
   to-be-copied-module-specs : (listof module-path?)
```

This function creates a function that when called will construct a new `namespace` that has all the modules from `to-be-copied-module-specs` and `additional-specs`, as well as `racket` and `mred`, provided they are already attached to the `(current-namespace)` of the call-site.

Example:

```
(make-make-servlet-namespace
 #:to-be-copied-module-specs `(lib "database.rkt" "my-module"))
```

Why this is useful

A different namespace is needed for each servlet, so that if servlet A and servlet B both use a stateful module C, they will be isolated from one another. We see the Web Server as an operating system for servlets, so we inherit the isolation requirement on operating systems.

However, there are some modules which must be shared. If they were not, then structures cannot be passed from the Web Server to the servlets, because Racket's structures are generative.

Since, on occasion, a user will actually want servlets A and B to interact through module C. A custom `make-servlet-namespace` can be created, through this procedure, that attaches module C to all servlet namespaces. Through other means (see §2 “Dispatchers”) different sets of servlets can share different sets of modules.

2.14.3 Internal Servlet Representation

```
(require web-server/private/servlet)
package: web-server-lib
```

```
(struct servlet (custodian namespace manager directory handler)
 #:extra-constructor-name make-servlet
 #:mutable)
custodian : custodian?
namespace : namespace?
manager : manager?
directory : path-string?
handler : (request? . -> . can-be-response?)
```

Instances of this structure hold the necessary parts of a servlet: the `custodian` responsible for the servlet's resources, the `namespace` the servlet is executed within, the `manager` responsible for the servlet's continuations, the current `directory` of the servlet, and the `handler` for all requests to the servlet.

2.15 Statistics

```
(require web-server/dispatchers/dispatch-stat)
      package: web-server-lib
```

The `web-server/dispatchers/dispatch-stat` module provides services related to performance statistics.

```
(make-gc-thread time) → thread?
  time : integer?
```

Starts a thread that calls `(collect-garbage)` every `time` seconds.

```
(make) → dispatcher/c
```

Returns a dispatcher that prints memory usage on every request.

2.16 Limiting Requests

```
(require web-server/dispatchers/limit)
      package: web-server-lib
```

The `web-server/dispatchers/limit` module provides a wrapper dispatcher that limits how many requests are serviced at once.

```
(make limit inner [#:over-limit over-limit]) → dispatcher/c
  limit : number?
  inner : dispatcher/c
  over-limit : (symbols 'block 'kill-new 'kill-old) = 'block
```

Returns a dispatcher that defers to `inner` for work, but will forward a maximum of `limit` requests concurrently.

If there are no additional spaces inside the limit and a new request is received, the `over-limit` option determines what is done. The default (`'block`) causes the new request to block until an old request is finished being handled. If `over-limit` is `'kill-new`, then the

new request handler is killed—a form of load-shedding. If `over-limit` is `'kill-old`, then the oldest request handler is killed—prioritizing new connections over old. (This setting is a little dangerous because requests might never finish if there is constant load.)

Consider this example:

```
#lang racket

(require web-server/web-server
         web-server/http
         web-server/http/response
         (prefix-in limit: web-server/dispatchers/limit)
         (prefix-in filter: web-server/dispatchers/dispatch-
filter)
         (prefix-in sequencer: web-server/dispatchers/dispatch-
sequencer))

(serve #:dispatch
      (sequencer:make
       (filter:make
        #rx"/limited"
        (limit:make
         5
         (lambda (conn req)
           (output-response/method
            conn
            (response/full
             200 #"Okay"
             (current-seconds) TEXT/HTML-MIME-TYPE
             empty
             (list (string->bytes/utf-8
                    (format "hello world ~a"
                            (sort (build-list 100000 (λ x (random 1000)))
                                   <))))))
            (request-method req)))
        #:over-limit 'block))
       (lambda (conn req)
         (output-response/method
          conn
          (response/full 200 #"Okay"
                        (current-seconds) TEXT/HTML-MIME-TYPE
                        empty
                        (list #"<html><body>Unlimited</body></html>"))
          (request-method req))))
      #:port 8080)
```

```
(do-not-return)
```

2.17 Wrapping Requests & Responses

```
(require web-server/dispatchers/dispatch-wrap)
package: web-server-lib
```

The `web-server/dispatchers/dispatch-wrap` module provides a general-purpose wrapping dispatcher that allows one to intercept an incoming request as well as the response returned by other servlets

```
(make servlet req-trans res-trans) → dispatcher/c
  servlet : (-> request? response?)
  req-trans : (-> request? request?)
  res-trans : (-> response? response?)
```

Returns a dispatcher that wraps `res-trans` around `servlet`, which itself receives requests transformed by `req-trans`. Put differently, the servlet underlying the dispatcher returned by `make` is equivalent to `(λ (r) (res-trans (servlet (req-trans r))))`.

If you're not interested in transforming requests, pass in `identity` (the identity function) for `req-trans`. Similarly, using `identity` for `res-trans` will cause responses to pass through unchanged. (Using `identity` for *both* `req-trans` and `res-trans` is equivalent to just using `servlet` as-is.)

A typical use case for this dispatcher would be to inject headers into requests or responses. Similarly, functionally updating existing headers also fits into this pattern. Since the entire request – not just its headers – is available to `req-trans` (and similarly for the response and `res-trans`), arbitrary rewriting of request/response bodies is possible. Side effects in `req-trans` and `res-trans` are permitted as long as `make`'s contracts are adhered to.

Changed in version 1.9 of package `web-server-lib`: First version of this dispatcher

3 Launching Servers

```
(require web-server/web-server)      package: web-server-lib
```

This module provides functions for launching dispatching servers.

```
(serve #:dispatch dispatch
  [#:confirmation-channel confirmation-channel
   #:connection-close? connection-close?
   #:dispatch-server-connect@ dispatch-server-connect@
   #:tcp@ tcp@
   #:port port
   #:listen-ip listen-ip
   #:max-waiting max-waiting
   #:initial-connection-timeout request-read-timeout
   #:safety-limits safety-limits])
→ (-> any)
dispatch : dispatcher/c
confirmation-channel : (or/c #f (async-channel/c
                             (or/c exn? port-number?)))
                    = #f
connection-close? : boolean? = #f
dispatch-server-connect@ : (unit/c (import)
                                   (export dispatch-server-connect^))
                        = raw:dispatch-server-connect@
tcp@ : (unit/c (import) (export tcp^)) = raw:tcp@
port : listen-port-number? = 80
listen-ip : (or/c string? #f) = #f
max-waiting : exact-nonnegative-integer? = 511
request-read-timeout : timeout/c = 60
safety-limits : safety-limits?
              = (make-safety-limits
                 #:max-waiting max-waiting
                 #:request-read-timeout request-read-timeout)
```

Constructs an appropriate `dispatch-server-config*^`, invokes the `dispatch-server@`, and calls its `serve` function.

If `connection-close?` is `#t`, then every connection is closed after one request. Otherwise, the client decides based on what HTTP version it uses.

The `dispatch-server-connect@` argument supports the conversion of raw connections; for example, `make-ssl-connect@` produces a unit to serve SSL by converting raw TCP ports to SSL ports; see also §6.3 “How do I set up the server to use HTTPS?”.

The `tcp@` argument supports replacing TCP connections with other kinds of connections (and was formerly recommended for SSL support). Beware that the server expects the `tcp-accept` operation from `tcp@` to be effectively atomic; new connections are not accepted while `tcp-accept` is in progress.

The `safety-limits` argument supplies a safety limits value specifying the policies to be used while reading and handling requests. In the constructed `dispatch-server-config*^`, it is used directly as the `safety-limits` value and is also used by the `read-request` implementation.

The `max-waiting` and `request-read-timeout` arguments are supported for backwards compatibility. If a `safety-limits` argument is given, the `max-waiting` and `request-read-timeout` arguments are ignored; otherwise, they are passed to `make-safety-limits` to construct the safety limits value. If neither `max-waiting`, `request-read-timeout`, nor `safety-limits` are given, the default safety limits value is equivalent to `(make-safety-limits)`.

Here's an example of a simple web server that serves files from a given path:

```
(define (start-file-server base)
  (serve
   #:dispatch
   (files:make
    #:url->path (make-url->path base)
    #:path->mime-type
    (lambda (path)
      #"application/octet-stream")))
   #:port 8080))
```

Changed in version 1.6 of package `web-server-lib`: Added the `safety-limits` argument and changed to use `dispatch-server-config*^` instead of `dispatch-server-config^`: see compatibility note. Corrected documented contracts for the `max-waiting` and `request-read-timeout` arguments.

```
(serve/ports
 #:dispatch dispatch
 [#:confirmation-channel confirmation-channel
 #:connection-close? connection-close?
 #:dispatch-server-connect@ dispatch-server-connect@
 #:tcp@ tcp@
 #:ports ports
 #:listen-ip listen-ip
 #:max-waiting max-waiting
 #:initial-connection-timeout request-read-timeout
 #:safety-limits safety-limits])
→ (-> any)
dispatch : dispatcher/c
```

```

confirmation-channel : (or/c #f (async-channel/c
                          (or/c exn? port-number?)))
                      = #f
connection-close? : boolean? = #f
dispatch-server-connect@ : (unit/c (import)
                                   (export dispatch-server-connect~))
                          = raw:dispatch-server-connect@
tcp@ : (unit/c (import) (export tcp~)) = raw:tcp@
ports : (listof listen-port-number?) = (list 80)
listen-ip : (or/c string? #f) = #f
max-waiting : exact-nonnegative-integer? = 511
request-read-timeout : timeout/c = 60
safety-limits : safety-limits?
               = (make-safety-limits
                  #:max-waiting max-waiting
                  #:request-read-timeout request-read-timeout)

```

Calls `serve` multiple times, once for each `port`, and returns a function that shuts down all of the server instances.

Changed in version 1.6 of package `web-server-lib`: Added the `safety-limits` argument as with `serve`: see compatibility note.

```

(serve/ips+ports
 #:dispatch dispatch
 [#:confirmation-channel confirmation-channel
 #:connection-close? connection-close?
 #:dispatch-server-connect@ dispatch-server-connect@
 #:tcp@ tcp@
 #:ips+ports ips+ports
 #:max-waiting max-waiting
 #:initial-connection-timeout request-read-timeout
 #:safety-limits safety-limits])
→ (-> any)
dispatch : dispatcher/c
confirmation-channel : (or/c #f (async-channel/c
                              (or/c exn? port-number?)))
                  = #f
connection-close? : boolean? = #f
dispatch-server-connect@ : (unit/c (import)
                                   (export dispatch-server-connect~))
                          = raw:dispatch-server-connect@
tcp@ : (unit/c (import) (export tcp~)) = raw:tcp@
ips+ports : (listof (cons/c (or/c string? #f) (listof listen-port-number?)))
           = (list (cons #f (list 80)))

```

```

max-waiting : exact-nonnegative-integer? = 511
request-read-timeout : timeout/c = 60
safety-limits : safety-limits?
                = (make-safety-limits
                   #:max-waiting max-waiting
                   #:request-read-timeout request-read-timeout)

```

Calls `serve/ports` multiple times, once for each `ip`, and returns a function that shuts down all of the server instances.

Changed in version 1.1 of package `web-server-lib`: Added the `#:dispatch-server-connect@` argument.
 Changed in version 1.6: Added the `safety-limits` argument as with `serve`: see compatibility note.

```

(serve/web-config@
 config@
 [#:dispatch-server-connect@ dispatch-server-connect@
 #:tcp@ tcp@])
→ (-> void)
config@ : (unit/c (import) (export web-config*^))
dispatch-server-connect@ : (unit/c (import)
                               (export dispatch-server-connect^))
                           = raw:dispatch-server-connect@
tcp@ : (unit/c (import) (export tcp^)) = raw:tcp@

```

Starts the Web Server with the settings defined by the given `web-config*^` unit.

Combine `serve/web-config@` with `configuration-table->web-config@` and `configuration-table-sexpr->web-config@`:

```

(serve/web-config@
 (configuration-table->web-config@
  default-configuration-table-path))

```

Changed in version 1.1 of package `web-server-lib`: Added the `#:dispatch-server-connect@` argument.
 Changed in version 1.6: Use `web-config*^` rather than `web-config^`: see compatibility note.

```

raw:dispatch-server-connect@
 : (unit/c (import) (export dispatch-server-connect^))

```

A default implementation of the dispatch server's connection-conversion abstraction that performs no conversion.

Added in version 1.1 of package `web-server-lib`.


```
(make-ssl-connect@ server-cert-file
                  server-key-file)
→ (unit/c (import) (export dispatch-server-connect^))
server-cert-file : path-string?
server-key-file  : path-string?
```

Constructs an implementation of the dispatch server's connection-conversion abstraction for OpenSSL.

Added in version 1.1 of package `web-server-lib`.

```
(do-not-return) → none/c
```

This function does not return. If you are writing a script to load the Web Server you may want to call this functions at the end of your script.

3.1 Simple Single Servlet Servers

```
(require web-server/servlet-dispatch)
package: web-server-lib
```

These functions optimize the construction of dispatchers and launching of servers for single servlets and interactive development.

```
(dispatch/servlet
 start
 [#:regexp regexp
 #:stateless? stateless?
 #:stuffer stuffer
 #:manager manager
 #:current-directory servlet-current-directory
 #:responders-servlet-loading responders-servlet-loading
 #:responders-servlet responders-servlet])
→ dispatcher/c
start : (request? . -> . response?)
regexp : regexp? = #rx""
stateless? : boolean? = #f
stuffer : (stuffer/c serializable? bytes?) = default-stuffer
manager : manager?
         = (make-threshold-LRU-manager #f (* 1024 1024 64))
servlet-current-directory : path-string? = (current-directory)
```

```

responders-servlet-loading : (url? any/c . -> . can-be-response?)
                           = servlet-loading-responder
responders-servlet : (url? any/c . -> . can-be-response?)
                   = servlet-error-responder

```

`serve/servlet` starts a server and uses a particular dispatching sequence. For some applications, this nails down too much, but users are conflicted, because the interface is so convenient. For those users, `dispatch/servlet` does the hardest part of `serve/servlet` and constructs a dispatcher just for the `start` servlet.

The dispatcher responds to requests that match `regexp`. The current directory of servlet execution is `servlet-current-directory`.

If `stateless?` is true, then the servlet is run as a stateless

```
#lang web-server
```

module and `stuffer` is used as the stuffer.

The servlet is loaded with `manager` as its continuation manager. (The default manager limits the amount of memory to 64 MB and deals with memory pressure as discussed in the `make-threshold-LRU-manager` documentation.)

The servlet is run in the `(current-namespace)`.

If a servlet fails to load, `responders-servlet-loading` is used. If a servlet errors during its operation, `responders-servlet` is used.

```

(serve/launch/wait make-dispatcher
  [#:connection-close? connection-close?
   #:launch-path launch-path
   #:banner? banner?
   #:listen-ip listen-ip
   #:port port
   #:ssl-cert ssl-cert
   #:ssl-key ssl-key
   #:max-waiting max-waiting
   #:safety-limits safety-limits]) → any
make-dispatcher : (semaphore? . -> . dispatcher/c)
connection-close? : boolean? = #f
launch-path : (or/c #f string?) = #f
banner? : boolean? = #f
listen-ip : (or/c #f string?) = "127.0.0.1"
port : number? = 8000
ssl-cert : (or/c #f path-string?) = #f
ssl-key : (or/c #f path-string?) = #f

```

```
max-waiting : exact-nonnegative-integer? = 511
safety-limits : safety-limits?
               = (make-safety-limits #:max-waiting max-waiting)
```

The other interesting part of `serve/servlet` is its ability to start up a server and immediately launch a browser at it. This is provided by `serve/launch/wait`.

It starts a server using the result of `make-dispatcher` as the dispatcher. The `make-dispatcher` argument is called with a semaphore that, if posted, will cause the server to quit.

If `launch-path` is not false, then a browser is launched with that path appended to the URL to the server itself.

If `banner?` is true, then a banner is printed informing the user of the server's URL.

The server listens on `listen-ip` and port `port`. If `listen-ip` is `#f`, then the server accepts connections to all of the listening machine's addresses. Otherwise, the server accepts connections only at the interface(s) associated with the given string. For example, providing `"127.0.0.1"` (the default) as `listen-ip` creates a server that accepts only connections to `"127.0.0.1"` (the loopback interface) from the local machine.

If `ssl-key` and `ssl-cert` are not false, then the server runs in HTTPS mode with `ssl-cert` and `ssl-key` as paths to the certificate and private key.

If `connection-close?` is `#t`, then every connection is closed after one request. Otherwise, the client decides based on what HTTP version it uses.

The `safety-limits` argument supplies a safety limits value specifying the policies to be used while reading and handling requests.

The `max-waiting` argument is supported for backwards compatibility. If a `safety-limits` argument is given, the `max-waiting` argument is ignored; otherwise, it is passed to `make-safety-limits` to construct the safety limits value. If neither `max-waiting` nor `safety-limits` are given, the default safety limits value is equivalent to `(make-safety-limits)`.

Changed in version 1.6 of package `web-server-lib`: Added the `safety-limits` argument: see compatibility note.

4 Web Servers

A Web server is a unit with the `web-server^` signature. The most common way to construct one is to provide a `web-config^` unit to the `web-server@` unit. The most common way to construct a `web-config^` unit is to use `configuration-table->web-config@` to produce one from a configuration table file, such as the one that is shipped with Racket in `default-configuration-table-path`.

4.1 Server Units

4.1.1 Signature

```
(require web-server/web-server-sig)
package: web-server-lib
```

`web-server^` : signature

```
(serve [#:confirmation-channel confirmation-
ach]) → (-> any)
confirmation-ach : (or/c #f (async-channel/c      = #f
                    (or/c exn? port-number?)))
```

The same as `serve` from `dispatch-server^`. The `dispatch-server^` signature is an alias for `web-server^`.

```
(serve-ports ip op) → any
ip : input-port?
op : output-port?
```

Asynchronously serves a single connection represented by the ports `ip` and `op`.

4.1.2 Unit

```
(require web-server/web-server-unit)
package: web-server-lib
```

```
web-server-with-connect@
: (unit/c (web-config*^ tcp^ dispatch-server-connect^
              (web-server^)))
```

Uses the `web-config*^` to construct a `dispatcher/c` function that sets up one virtual host dispatcher, for each virtual host in the `web-config*^`, that sequences the following operations:

- Logs the incoming request with the given format to the given file
- Performs HTTP Basic Authentication with the given password file
- Allows the `"/conf/refresh-passwords"` URL to refresh the password file.
- Allows the `"/conf/collect-garbage"` URL to call the garbage collector.
- Allows the `"/conf/refresh-servlets"` URL to refresh the servlets cache.
- Executes servlets mapping URLs to the given servlet root directory under `htdocs`.
- Serves files under the `"/"` URL in the given `htdocs` directory.

Using this `dispatcher/c`, it loads a dispatching server that provides `serve` and `serve-ports` functions that operate as expected.

Added in version 1.1 of package `web-server-lib`.

Changed in version 1.6: Use `web-config*^` rather than `web-config^`. See compatibility note.

```
web-server@ : (unit/c (web-config*^ tcp^)  
              (web-server^))
```

Like `web-server-with-connect@`, but using `raw:dispatch-server-connect@`.

Changed in version 1.6 of package `web-server-lib`: Use `web-config*^` rather than `web-config^`. See compatibility note.

4.2 Configuration Units

4.2.1 Signature

```
(require web-server/web-config-sig)  
package: web-server-lib
```

```
web-config*^ : signature
```

Contains the following identifiers.

Added in version 1.6 of package `web-server-lib`.

`safety-limits` : `safety-limits?`

A safety limits value specifying the policies to be used while reading and handling requests.

`virtual-hosts` : `(string? . -> . host?)`

Contains the configuration of individual virtual hosts.

`port` : `port-number?`

Specifies the port to serve HTTP on.

`listen-ip` : `(or/c #f string?)`

Passed to `tcp-listen`.

`make-servlet-namespace` : `make-servlet-namespace/c`

Passed to `servlets:make` through `make-default-path->servlet`.

`web-config^` : signature

NOTE: This signature is deprecated; use `web-config*^`, instead.

For backwards compatibility, `web-config^` extends `web-config*^` and uses `define-values-for-export` to define `safety-limits` as:

```
(make-safety-limits
 #:max-waiting max-waiting
 #:request-read-timeout initial-connection-timeout)
```

Changed in version 1.6 of package `web-server-lib`: Deprecated in favor of `web-config*^`. See compatibility note.

`max-waiting` : `exact-nonnegative-integer?`

Passed to `make-safety-limits`.

`initial-connection-timeout` : `timeout/c`

Passed to `make-safety-limits` as its `#:request-read-timeout` argument.

Changed in version 1.6 of package `web-server-lib`: Loosened contract for consistency with `make-safety-limits`.

4.2.2 Unit

```
(require web-server/web-config-unit)
      package: web-server-lib

(configuration-table->web-config@
 path
 [#:port port
 #:listen-ip listen-ip
 #:make-servlet-namespace make-servlet-namespace])
→ (unit/c (import) (export web-config~))
 path : path-string?
 port : (or/c false/c port-number?) = #f
 listen-ip : (or/c false/c string?) = #f
 make-servlet-namespace : make-servlet-namespace/c
                        = (make-make-servlet-namespace)
```

Reads the S-expression at *path* and calls `configuration-table-sexpr->web-config@` appropriately.

```
(configuration-table-sexpr->web-config@
 sexpr
 [#:web-server-root web-server-root
 #:port port
 #:listen-ip listen-ip
 #:make-servlet-namespace make-servlet-namespace])
→ (unit/c (import) (export web-config~))
 sexpr : list?
 web-server-root : path-string?
                 = (directory-part default-configuration-table-path)
 port : (or/c false/c port-number?) = #f
 listen-ip : (or/c false/c string?) = #f
 make-servlet-namespace : make-servlet-namespace/c
                        = (make-make-servlet-namespace)
```

Parses *sexpr* as a configuration-table and constructs a `web-config~` unit.

4.3 Configuration Table

```
(require web-server/configuration/configuration-table)
      package: web-server-lib
```

This module provides functions for reading, writing, parsing, and printing `configuration-table` structures.

```
| default-configuration-table-path : path?
```

The default configuration table S-expression file.

```
| configuration-table-sexpr? : (any . -> . boolean?)
```

Equivalent to `list?`.

```
| (sexpr->configuration-table sexpr) → configuration-table?
   sexpr : configuration-table-sexpr?
```

This function converts a `configuration-table` from an S-expression.

```
| (configuration-table->sexpr ctable)
   → configuration-table-sexpr?
   ctable : configuration-table?
```

This function converts a `configuration-table` to an S-expression.

The configuration table format is:

```
`((port ,integer?)
   (max-waiting ,exact-integer?)
   (initial-connection-timeout ,integer?)
   (default-host-table
    ,host-table-sexpr?)
   (virtual-host-table
    (list ,symbol? ,host-table-sexpr?)
    ...))
```

where a `host-table-sexpr` is:

```
`(host-table
   (default-indices ,string? ...)
   (log-format ,symbol?))
```



```

(messages
 (servlet-message ,path-string?)
 (authentication-message ,path-string?)
 (servlets-refreshed ,path-string?)
 (passwords-refreshed ,path-string?)
 (file-not-found-message ,path-string?)
 (protocol-message ,path-string?)
 (collect-garbage ,path-string?))
(timeouts
 (default-servlet-timeout ,integer?)
 (password-connection-timeout ,integer?)
 (servlet-connection-timeout ,integer?)
 (file-per-byte-connection-timeout ,integer?)
 (file-base-connection-timeout ,integer))
(paths
 (configuration-root ,path-string?)
 (host-root ,path-string?)
 (log-file-path ,path-string?)
 (file-root ,path-string?)
 (servlet-root ,path-string?)
 (mime-types ,path-string?)
 (password-authentication ,path-string?)))

```

In this syntax, the 'messages paths are relative to the 'configuration-root directory. All the paths in 'paths except for 'servlet-root are relative to 'host-root (other than 'host-root obviously.) The 'servlet-root path is relative to 'file-root.

Allowable 'log-formats are those accepted by log-format->format.

Note: You almost always want to leave everything in the 'paths section the default except the 'host-root.

```

(read-configuration-table path) → configuration-table?
  path : path-string?

```

This function reads a configuration-table from path.

```

(write-configuration-table ctable path) → void
  ctable : configuration-table?
  path : path-string?

```

This function writes a configuration-table to path.

4.4 Configuration Table Structure

```
(require web-server/configuration/configuration-table-structs)
                                         package: web-server-lib
```

This module provides the following structures that represent a standard configuration (see §4.1 “Server Units”) of the Web Server . The contracts on this structure influence the valid types of values in the configuration table S-expression file format described in §4.3 “Configuration Table”.

```
(struct configuration-table (port
                             max-waiting
                             initial-connection-timeout
                             default-host
                             virtual-hosts)
  #:extra-constructor-name make-configuration-table)
port : port-number?
max-waiting : exact-nonnegative-integer?
initial-connection-timeout : natural-number/c
default-host : host-table?
virtual-hosts : (listof (cons/c string? host-table?))
```

```
(struct host-table (indices log-format messages timeouts paths)
  #:extra-constructor-name make-host-table)
indices : (listof string?)
log-format : symbol?
messages : messages?
timeouts : timeouts?
paths : paths?
```

```
(struct host (indices
              log-format
              log-path
              passwords
              responders
              timeouts
              paths)
  #:extra-constructor-name make-host)
indices : (listof string?)
log-format : symbol?
log-path : (or/c false/c path-string?)
passwords : (or/c false/c path-string?)
responders : responders?
```

```
timeouts : timeouts?  
paths : paths?
```

```
(struct responders (servlet  
    servlet-loading  
    authentication  
    servlets-refreshed  
    passwords-refreshed  
    file-not-found  
    protocol  
    collect-garbage)  
    #:extra-constructor-name make-responders)  
servlet : (url? any/c . -> . response?)  
servlet-loading : (url? any/c . -> . response?)  
authentication : (url? (cons/c symbol? string?) . -> . response?)  
servlets-refreshed : (-> response?)  
passwords-refreshed : (-> response?)  
file-not-found : (request? . -> . response?)  
protocol : (url? . -> . response?)  
collect-garbage : (-> response?)
```

```
(struct messages (servlet  
    authentication  
    servlets-refreshed  
    passwords-refreshed  
    file-not-found  
    protocol  
    collect-garbage)  
    #:extra-constructor-name make-messages)  
servlet : string?  
authentication : string?  
servlets-refreshed : string?  
passwords-refreshed : string?  
file-not-found : string?  
protocol : string?  
collect-garbage : string?
```

```
(struct timeouts (default-servlet  
    password  
    servlet-connection  
    file-per-byte  
    file-base)
```

```

#:extra-constructor-name make-timeouts)
default-servlet : number?
password : number?
servlet-connection : number?
file-per-byte : number?
file-base : number?

```

```

(struct paths (conf
              host-base
              log
              htdocs
              servlet
              mime-types
              passwords)
 #:extra-constructor-name make-paths)
conf : (or/c false/c path-string?)
host-base : (or/c false/c path-string?)
log : (or/c false/c path-string?)
htdocs : (or/c false/c path-string?)
servlet : (or/c false/c path-string?)
mime-types : (or/c false/c path-string?)
passwords : (or/c false/c path-string?)

```

4.5 Standard Responders

```

(require web-server/configuration/responders)
package: web-server-lib

```

This module provides some functions that help constructing HTTP responders. These functions are used by the default dispatcher constructor (see §4.1 “Server Units”) to turn the paths given in the `configuration-table` into responders for the associated circumstance.

```

(file-response http-code
              short-version
              text-file
              header ...) → response?
http-code : natural-number/c
short-version : string?
text-file : string?
header : header?

```

Generates a `response?` with the given `http-code` and `short-version` as the corresponding fields; with the content of the `text-file` as the body; and, with the `headers` as, you

guessed it, headers.

This does not cause redirects to a well-known URL, such as "conf/not-found.html", but rather use the contents of "not-found.html" (for example) as its contents. Therefore, any relative URLs in *text-file* are relative to whatever URL *file-response* is used to respond *to*. Thus, you should probably use absolute URLs in these files.

```
(servlet-loading-responder url exn) → response?  
  url : url?  
  exn : exn?
```

Gives *exn* to the *current-error-handler* and response with a stack trace and a "Servlet didn't load" message.

```
(gen-servlet-not-found file) → ((url url?) . -> . response?)  
  file : path-string?
```

Returns a function that generates a standard "Servlet not found." error with content from *file*.

```
(servlet-error-responder url exn) → response?  
  url : url?  
  exn : exn?
```

Gives *exn* to the *current-error-handler* and response with a stack trace and a "Servlet error" message.

```
(gen-servlet-responder file)  
→ ((url url?) (exn any/c) . -> . response?)  
  file : path-string?
```

Prints the *exn* to standard output and responds with a "Servlet error." message with content from *file*.

```
(gen-servlets-refreshed file) → (-> response?)  
  file : path-string?
```

Returns a function that generates a standard "Servlet cache refreshed." message with content from *file*.

```
(gen-passwords-refreshed file) → (-> response?)  
  file : path-string?
```

Returns a function that generates a standard "Passwords refreshed." message with content from *file*.

```
(gen-authentication-responder file)  
→ ((url url?) (header header?) . -> . response?)  
  file : path-string?
```

Returns a function that generates an authentication failure error with content from *file* and *header* as the HTTP header.

```
(gen-protocol-responder file) → ((url url?) . -> . response?)  
  file : path-string?
```

Returns a function that generates a "Malformed request" error with content from *file*.

```
(gen-file-not-found-responder file)  
→ ((req request?) . -> . response?)  
  file : path-string?
```

Returns a function that generates a standard "File not found" error with content from *file*.

```
(gen-collect-garbage-responder file) → (-> response?)  
  file : path-string?
```

Returns a function that generates a standard "Garbage collection run" message with content from *file*.

5 Internal APIs

The Web Server is a complicated piece of software and as a result, defines a number of interesting and independently useful sub-components. Some of these are documented here.

5.1 Timers

```
(require web-server/private/timer)    package: web-server-lib
```

This module provides a functionality for running procedures after a given amount of time, that may be extended.

```
(timer-manager? x) → boolean?  
x : any/c
```

Determines if *x* is a timer manager.

```
(struct timer (tm evt expire-seconds action)  
  #:extra-constructor-name make-timer)  
tm : timer-manager?  
evt : evt?  
expire-seconds : number?  
action : (-> void)
```

evt is an [alarm-evt](#) that is ready at *expire-seconds*. *action* should be called when this *evt* is ready.

```
(start-timer-manager) → timer-manager?
```

Handles the execution and management of timers.

```
(start-timer tm s action) → timer?  
tm : timer-manager?  
s : number?  
action : (-> void)
```

Registers a timer that runs *action* after *s* seconds.

```
(reset-timer! t s) → void  
t : timer?  
s : number?
```

Changes `t` so that it will fire after `s` seconds.

```
(increment-timer! t s) → void
  t : timer?
  s : number?
```

Changes `t` so that it will fire after `s` seconds from when it does now.

```
(cancel-timer! t) → void
  t : timer?
```

Cancels the firing of `t` ever and frees resources used by `t`.

5.2 Connection Manager

```
(require web-server/private/connection-manager)
      package: web-server-lib
```

This module provides functionality for managing pairs of input and output ports. We have plans to allow a number of different strategies for doing this.

```
(struct connection (timer i-port o-port custodian close?)
  #:extra-constructor-name make-connection)
  timer : timer?
  i-port : input-port?
  o-port : output-port?
  custodian : custodian?
  close? : boolean?
```

A connection is a pair of ports (`i-port` and `o-port`) that is ready to close after the current job if `close?` is `#t`. Resources associated with the connection should be allocated under `custodian`. The connection will last until `timer` triggers.

Construct `connection` instances using `new-connection`, which cooperates with connection managers. Constructing connections by other means (e.g. `make-connection` or `struct-copy`) may have undesirable consequences, such as circumventing safety limits.

Changed in version 1.6 of package `web-server-lib`: Deprecate construction other than via `new-connection`.

```
(connection-manager? v) → boolean?
  v : any/c
```



```
(start-connection-manager [#:safety-limits safety-limits])
→ connection-manager?
  safety-limits : safety-limits?
                = (make-unlimited-safety-limits)
```

A *connection manager* is an opaque value, recognized by the predicate `connection-manager?`, which cooperates with `new-connection` to control the creation and behavior of `connection` instances. It encapsulates a timer manager (see §5.1 “Timers”), safety limits policies, and other internal data. Use `start-connection-manager` to create a connection manager.

Note that, if the `safety-limits` argument is not given, the default safety limits value offers minimal protection against malicious or misbehaving clients and servlets: see `make-unlimited-safety-limits`. Most programs should not use `start-connection-manager` or `new-connection` directly: higher-level interfaces, such as `dispatch-server-with-connect@` and `serve`, incorporate connection management and provide more protections by default. The permissive default safety limits of `start-connection-manager` maximize backwards-compatibility for low-level programs that use these functions directly. See the safety limits compatibility note for more information.

Changed in version 1.6 of package `web-server-lib`: Added `safety-limits` argument.

```
(new-connection cm i-port o-port cust close?) → connection?
  cm : connection-manager?
  i-port : input-port?
  o-port : output-port?
  cust : custodian?
  close? : boolean?
(new-connection cm
  timeout
  i-port
  o-port
  cust
  close?) → connection?
  cm : connection-manager?
  timeout : number?
  i-port : input-port?
  o-port : output-port?
  cust : custodian?
  close? : boolean?
```

Cooperates with the connection manager `cm` to construct a new `connection` instance. The connection is created with a timer that effectively calls `kill-connection!`. The initial timeout is determined by the safety limits encapsulated in `cm`.

The six-argument form with a `timeout` argument is provided for backwards compatibility.

In that case, `timeout` is used for the initial value of the connection's timer, regardless of `cm`'s safety limits. Other aspects of the safety limits still apply to the resulting connection.

Changed in version 1.6 of package `web-server-lib`: Added five-argument form using `cm`'s safety limits instead of a `timeout` argument.

```
(kill-connection! c) → any
  c : connection?
```

Closes the ports associated with `c`, kills the timer, and shuts down the custodian.

```
(adjust-connection-timeout! c t) → any
  c : connection?
  t : number?
```

Calls `increment-timer!` with the timer behind `c` with `t`.

```
(reset-connection-timeout! c t) → any
  c : connection?
  t : number?
```

Calls `reset-timer!` with the timer behind `c` with `t`.

Added in version 1.6 of package `web-server-lib`.

5.3 Serializable Closures

The defunctionalization process of the Web Language (see §3 “Stateless Servlets”) requires an explicit representation of closures that is serializable.

```
(require web-server/lang/serial-lambda)
package: web-server-lib
```

```
(serial-lambda formals body ...)
```

Returns `(lambda formals body ...)`, except it is serializable.

```
(serial-case-lambda [formals body ...] ...)
```

Returns `(case-lambda [formals body ...] ...)`, except it is serializable.

5.3.1 Definition Syntax

```
(require web-server/private/define-closure)
package: web-server-lib
```

```
(define-closure tag formals (free-var ...) body)
```

Defines a closure, constructed with `make-tag` that accepts a closure that returns `freevar ...`, that when invoked with `formals` executes `body`.

Here is an example:

```
#lang racket
(require racket/serialize)

(define-closure foo (a b) (x y)
  (+ (- a b)
     (* x y)))

(define f12 (make-foo (lambda () (values 1 2))))
(serialize f12)
'((1) 1 (('page . foo:deserialize-info)) 0 () () (0 1 2))
(f12 6 7)
1
(f12 9 1)
10

(define f45 (make-foo (lambda () (values 4 5))))
(serialize f45)
'((1) 1 (('page . foo:deserialize-info)) 0 () () (0 4 5))
(f45 1 2)
19
(f45 8 8)
20
```

5.4 Cache Table

```
(require web-server/private/cache-table)
package: web-server-lib
```

This module provides a set of caching hash table functions.

```
(make-cache-table) → cache-table?
```

Constructs a cache-table.

```
(cache-table-lookup! ct id mk) → any/c
  ct : cache-table?
  id : symbol?
  mk : (-> any/c)
```

Looks up *id* in *ct*. If it is not present, then *mk* is called to construct the value and add it to *ct*.

```
(cache-table-clear! ct [entry-ids finalize]) → void?
  ct : cache-table?
  entry-ids : (or/c false/c (listof symbol?)) = #f
  finalize : (-> any/c void?) = void
```

If *entry-ids* is *#f*, clears all entries in *ct*. Otherwise, clears only the entries with keys in *entry-ids*. The procedure *finalize* is invoked on each entry before it is cleared.

Changed in version 1.3 of package `web-server-lib`: Added optional argument for list of entry keys.

Changed in version 1.3: Added optional argument for finalizer procedure.

```
(cache-table? v) → boolean?
  v : any/c
```

Determines if *v* is a cache table.

5.5 MIME Types

```
(require web-server/private/mime-types)
package: web-server-lib
```

This module provides function for dealing with "mime.types" files.

```
(read-mime-types p) → (hash/c symbol? bytes?)
  p : path-string?
```

Reads the "mime.types" file from *p* and constructs a hash table mapping extensions to MIME types.

```
(make-path->mime-type p) → (path? . -> . (or/c false/c bytes?))
  p : path-string?
```

Uses a `read-mime-types` with *p* and constructs a function from paths to their MIME type.

5.6 Serialization Utilities

```
(require web-server/private/mod-map)
package: web-server-lib
```

The `racket/serialize` library provides the functionality of serializing values. This module compresses the serialized representation.

```
(compress-serial sv) → list?
sv : list?
```

Collapses multiple occurrences of the same module in the module map of the serialized representation, `sv`.

```
(decompress-serial csv) → list?
csv : list?
```

Expands multiple occurrences of the same module in the module map of the compressed serialized representation, `csv`.

5.7 URL Param

```
(require web-server/private/url-param)
package: web-server-lib
```

The Web Server needs to encode information in URLs. If this data is stored in the query string, than it will be overridden by browsers that make GET requests to those URLs with more query data. So, it must be encoded in URL params. This module provides functions for helping with this process.

```
(insert-param u k v) → url?
u : url?
k : string?
v : string?
```

Associates `k` with `v` in the final URL param of `u`, overwriting any current binding for `k`.

```
(extract-param u k) → (or/c string? false/c)
u : url?
k : string?
```

Extracts the string associated with `k` in the final URL param of `u`, if there is one, returning `#f` otherwise.

5.8 GZip

```
(require web-server/private/gzip)      package: web-server-lib
```

The Web Server provides a thin wrapper around `file/gzip` and `file/gunzip`.

```
(gzip/bytes ib) → bytes?  
  ib : bytes?
```

GZips `ib` and returns the result.

```
(gunzip/bytes ib) → bytes?  
  ib : bytes?
```

GUnzips `ib` and returns the result.

5.9 Miscellaneous Utilities

```
(require web-server/private/util)      package: web-server-lib
```

```
(bytes-ci=? b1 b2) → boolean?  
  b1 : bytes?  
  b2 : bytes?
```

Compares two bytes case insensitively.

```
(url-replace-path proc u) → url?  
  proc : ((listof path/param?) . -> . (listof path/param?))  
  u : url?
```

Replaces the URL path of `u` with `proc` of the former path.

```
(url-path->string url-path) → string?  
  url-path : (listof path/param?)
```

Formats `url-path` as a string with `"/"` as a delimiter and no params.

```
(explode-path* p) → (listof path-piece?)  
  p : path-string?
```

Like `normalize-path`, but does not resolve symlinks.

```
(path-without-base base p) → (listof path-piece?)  
  base : path-string?  
  p : path-string?
```

Returns, as a list, the portion of *p* after *base*, assuming *base* is a prefix of *p*.

```
(directory-part p) → path?  
  p : path-string?
```

Returns the directory part of *p*, returning (`current-directory`) if it is relative.

```
(build-path-unless-absolute base p) → path?  
  base : path-string?  
  p : path-string?
```

Prepends *base* to *p*, unless *p* is absolute.

```
(network-error s fmt v ...) → void  
  s : symbol?  
  fmt : string?  
  v : any/c
```

Like `error`, but throws a `exn:fail:network`.

```
(exn->string exn) → string?  
  exn : (or/c exn? any/c)
```

Formats *exn* with (`error-display-handler`) as a string.

```
(read/bytes bstr) → printable/c  
  bstr : bytes?
```

Extracts a value from *bstr* using `read`.

```
(write/bytes v) → bytes?  
  v : printable/c
```

Prints *v* into a byte string using `write`.

```
path-piece? : contract?
```

Equivalent to `(or/c path-string? (symbols 'up 'same))`.

6 Troubleshooting and Tips

6.1 How do I use Apache with the Racket Web Server?

You may want to put Apache in front of your Racket Web Server application. Apache can rewrite and proxy requests for a private (or public) Racket Web Server:

```
RewriteEngine on
RewriteRule ^(.*)$ http://localhost:8080/$1 [P,NE]
```

The first argument to `RewriteRule` is a match pattern. The second is how to rewrite the URL. The bracketed part contains flags that specify the type of rewrite, in this case the **P** flag instructs Apache to proxy the request. (If you do not include this, Apache will return an HTTP Redirect response and the client will make a second request to `localhost:8080` which will not work on a different machine.) In addition, the **NE** flag is needed to avoid escaping parts of the URL — without it, a `;` is escaped as `%3B` which will break the proxied request.

See Apache's documentation for more details on `RewriteRule`.

6.2 Can the server create a PID file?

The server has no option for this, but you can add it very easily. There's two techniques.

First, if you use a UNIX platform, in your shell startup script you can use

```
echo $$ > PID
exec run-web-server
```

Using `exec` will reuse the same process, and therefore, the PID file will be accurate.

Second, if you want to make your own Racket start-up script, you can write:

```
(require racket/os)
(with-output-to-file your-pid-file (lambda () (write (getpid))))
(start-server)
```

6.3 How do I set up the server to use HTTPS?

This requires an SSL certificate and private key. This is very platform specific, but we will provide the details for using OpenSSL on UNIX:

```
openssl genrsa -des3 -out private-key.pem 4096
```


This will generate a new private key, but it will have a passphrase on it. You can remove this via:

```
openssl rsa -in private-key.pem -out private-key.pem  
chmod 400 private-key.pem
```

Now, we generate a self-signed certificate:

```
openssl req -new -x509 -nodes -sha1 -days 365 -key private-key.pem  
> server-cert.pem
```

(Each certificate authority has different instructions for generating certificate signing requests.)

We can now start the server with:

```
plt-web-server --ssl
```

The Web Server will start on port 443 (which can be overridden with the `-p` option) using the "private-key.pem" and "server-cert.pem" we've created.

6.4 How do I limit the number of requests serviced at once by the Web Server?

Refer to §2.16 "Limiting Requests".

Index

[adjust-connection-timeout!](#), 50
[apache-default-format](#), 17
[apache-default-format](#), 16
[authentication-message](#), 40
[authorized?/c](#), 19
Basic Logging, 17
[build-path-unless-absolute](#), 55
[bytes-ci=?](#), 54
Cache Table, 51
[cache-table-clear!](#), 52
[cache-table-lookup!](#), 52
[cache-table?](#), 52
Can the server create a PID file?, 56
[cancel-timer!](#), 48
[collect-garbage](#), 40
[combined-log-format](#), 18
[combined-log-format](#), 16
[compress-serial](#), 53
Configuration Table, 39
Configuration Table Structure, 42
Configuration Units, 37
[configuration-root](#), 40
[configuration-table](#) (struct), 42
[configuration-table->sexpr](#), 40
[configuration-table->web-config@](#), 39
[configuration-table-default-host](#), 42
[configuration-table-initial-connection-timeout](#), 42
[configuration-table-max-waiting](#), 42
[configuration-table-port](#), 42
[configuration-table-sexpr->web-config@](#), 39
[configuration-table-sexpr?](#), 40
[configuration-table-virtual-hosts](#), 42
[configuration-table?](#), 42
[connection](#) (struct), 48
Connection Manager, 48
connection manager, 49
[connection-close?](#), 48
[connection-custodian](#), 48
[connection-i-port](#), 48
[connection-manager?](#), 48
[connection-o-port](#), 48
[connection-timer](#), 48
[connection?](#), 48
[decompress-serial](#), 53
[default-configuration-table-path](#), 40
[default-host-table](#), 40
[default-indices](#), 40
[default-module-specs](#), 24
[default-servlet-timeout](#), 40
[define-closure](#), 51
[denied?/c](#), 18
[directory-part](#), 55
[dispatch](#), 3
[dispatch-server-config*^](#), 3
[dispatch-server-config^](#), 3
[dispatch-server-connect^](#), 2
[dispatch-server-with-connect@](#), 9
[dispatch-server@](#), 9
[dispatch-server^](#), 2
[dispatch/servlet](#), 33
[dispatcher-interface-version/c](#), 11
[dispatcher/c](#), 11
Dispatchers, 11
Dispatching Server, 2
Dispatching Server Signatures, 2
Dispatching Server Unit, 9
[do-not-return](#), 33
[exn->string](#), 55
[exn:dispatcher](#) (struct), 11
[exn:dispatcher?](#), 11
[explode-path*](#), 54
[extended-format](#), 16
[extended-format](#), 17
[extract-param](#), 53
[file-base-connection-timeout](#), 40
[file-not-found-message](#), 40
[file-per-byte-connection-timeout](#), 40

- [file-response](#), 44
- [file-root](#), 40
- [filter-url->path](#), 12
- Filtering Requests by Method, 14
- Filtering Requests by URL, 14
- [format-req/c](#), 17
- [format-reqresp/c](#), 15
- [gen-authentication-responder](#), 46
- [gen-collect-garbage-responder](#), 46
- [gen-file-not-found-responder](#), 46
- [gen-passwords-refreshed](#), 46
- [gen-protocol-responder](#), 46
- [gen-servlet-not-found](#), 45
- [gen-servlet-responder](#), 45
- [gen-servlets-refreshed](#), 45
- General, 11
- [gunzip/bytes](#), 54
- GZip, 54
- [gzip/bytes](#), 54
- [host](#) (struct), 42
- [host-indices](#), 42
- [host-log-format](#), 42
- [host-log-path](#), 42
- [host-passwords](#), 42
- [host-paths](#), 42
- [host-responders](#), 42
- [host-root](#), 40
- [host-table](#) (struct), 42
- [host-table](#), 40
- [host-table-indices](#), 42
- [host-table-log-format](#), 42
- [host-table-messages](#), 42
- [host-table-paths](#), 42
- [host-table-timeouts](#), 42
- [host-table?](#), 42
- [host-timeouts](#), 42
- [host?](#), 42
- How do I limit the number of requests served at once by the Web Server?, 57
- How do I set up the server to use HTTPS?, 56
- How do I use Apache with the Racket Web Server?, 56
- [increment-timer!](#), 48
- [initial-connection-timeout](#), 38
- [initial-connection-timeout](#), 4
- [initial-connection-timeout](#), 40
- [insert-param](#), 53
- Internal APIs, 47
- Internal Servlet Representation, 25
- [kill-connection!](#), 50
- Launching Servers, 29
- Lifting Procedures, 13
- Limiting Requests, 26
- [listen-ip](#), 3
- [listen-ip](#), 38
- [log-file-path](#), 40
- [log-format](#), 40
- [log-format->format](#), 18
- [log-format->format](#), 16
- [log-format/c](#), 16
- [log-format/c](#), 18
- Logging, 15
- [make](#), 26
- [make](#), 26
- [make](#), 18
- [make](#), 18
- [make](#), 14
- [make](#), 13
- [make](#), 13
- [make](#), 14
- [make](#), 14
- [make](#), 17
- [make](#), 20
- [make](#), 15
- [make](#), 20
- [make](#), 22
- [make](#), 28
- [make-basic-denied?/path](#), 19
- [make-cache-table](#), 51
- [make-cached-url->servlet](#), 22
- [make-configuration-table](#), 42
- [make-connection](#), 48

- [make-default-path->servlet](#), 24
- [make-exn:dispatcher](#), 11
- [make-gc-thread](#), 26
- [make-host](#), 42
- [make-host-table](#), 42
- [make-make-servlet-namespace](#), 25
- [make-messages](#), 43
- [make-path->mime-type](#), 52
- [make-paths](#), 44
- [make-responders](#), 43
- [make-safety-limits](#), 5
- [make-servlet](#), 25
- [make-servlet-namespace](#), 38
- [make-servlet-namespace/c](#), 24
- [make-ssl-connect@](#), 33
- [make-stateless.servlet](#), 23
- [make-timeouts](#), 43
- [make-timer](#), 47
- [make-unlimited-safety-limits](#), 8
- [make-url->path](#), 12
- [make-url->valid-path](#), 12
- [make-v1.servlet](#), 23
- [make-v2.servlet](#), 23
- Mapping URLs to Paths, 12
- [max-waiting](#), 4
- [max-waiting](#), 38
- [max-waiting](#), 40
- [messages](#) (struct), 43
- [messages](#), 40
- [messages-authentication](#), 43
- [messages-collect-garbage](#), 43
- [messages-file-not-found](#), 43
- [messages-passwords-refreshed](#), 43
- [messages-protocol](#), 43
- [messages-servlet](#), 43
- [messages-servlets-refreshed](#), 43
- [messages?](#), 43
- MIME Types, 52
- [mime-types](#), 40
- Miscellaneous Utilities, 54
- [network-error](#), 55
- [new-connection](#), 49
- [next-dispatcher](#), 11
- [nonnegative-length/c](#), 5
- [paren-format](#), 15
- [paren-format](#), 17
- Password Protection, 18
- [password-authentication](#), 40
- [password-connection-timeout](#), 40
- [password-file->authorized?](#), 19
- [passwords-refreshed](#), 40
- [path->servlet/c](#), 24
- [path-piece?](#), 55
- [path-without-base](#), 55
- [paths](#) (struct), 44
- [paths](#), 40
- [paths-conf](#), 44
- [paths-host-base](#), 44
- [paths-htdocs](#), 44
- [paths-log](#), 44
- [paths-mime-types](#), 44
- [paths-passwords](#), 44
- [paths-servlet](#), 44
- [paths?](#), 44
- [port](#), 3
- [port](#), 38
- [port](#), 40
- [port->real-ports](#), 2
- [positive-count/c](#), 5
- Procedure Invocation upon Request, 15
- [protocol-message](#), 40
- [raw:dispatch-server-connect@](#), 32
- [read-configuration-table](#), 41
- [read-mime-types](#), 52
- [read-request](#), 3
- [read/bytes](#), 55
- [reset-connection-timeout!](#), 50
- [reset-timer!](#), 47
- [responders](#) (struct), 43
- [responders-authentication](#), 43
- [responders-collect-garbage](#), 43
- [responders-file-not-found](#), 43
- [responders-passwords-refreshed](#), 43
- [responders-protocol](#), 43

- [responders-servlet](#), 43
- [responders-servlet-loading](#), 43
- [responders-servlets-refreshed](#), 43
- [responders?](#), 43
- Safety Limits, 4
- safety limits*, 6
- [safety-limits](#), 3
- [safety-limits](#), 38
- [safety-limits?](#), 4
- Sequencing, 13
- [serial-case-lambda](#), 50
- [serial-lambda](#), 50
- Serializable Closures, 50
- Serialization Utilities, 53
- [serve](#), 29
- [serve](#), 2
- [serve](#), 36
- [serve-ports](#), 2
- [serve-ports](#), 36
- [serve/ips+ports](#), 31
- [serve/launch/wait](#), 34
- [serve/ports](#), 30
- [serve/web-config@](#), 32
- Server Units, 36
- Serving Files, 20
- Serving Servlets, 22
- [servlet](#) (struct), 25
- Servlet Namespaces, 24
- [servlet-connection-timeout](#), 40
- [servlet-custodian](#), 25
- [servlet-directory](#), 25
- [servlet-error-responder](#), 45
- [servlet-handler](#), 25
- [servlet-loading-responder](#), 45
- [servlet-manager](#), 25
- [servlet-message](#), 40
- [servlet-namespace](#), 25
- [servlet-root](#), 40
- [servlet?](#), 25
- [servlets-refreshed](#), 40
- [set-servlet-custodian!](#), 25
- [set-servlet-directory!](#), 25
- [set-servlet-handler!](#), 25
- [set-servlet-manager!](#), 25
- [set-servlet-namespace!](#), 25
- Setting Up Servlets, 23
- [sexpr->configuration-table](#), 40
- Simple Single Servlet Servers, 33
- Standard Responders, 44
- [start-connection-manager](#), 49
- [start-timer](#), 47
- [start-timer-manager](#), 47
- Statistics, 26
- [struct:configuration-table](#), 42
- [struct:connection](#), 48
- [struct:exn:dispatcher](#), 11
- [struct:host](#), 42
- [struct:host-table](#), 42
- [struct:messages](#), 43
- [struct:paths](#), 44
- [struct:responders](#), 43
- [struct:servlet](#), 25
- [struct:timeouts](#), 43
- [struct:timer](#), 47
- Threads and Custodians, 10
- [timeout/c](#), 6
- Timeouts, 13
- [timeouts](#) (struct), 43
- [timeouts](#), 40
- [timeouts-default-servlet](#), 43
- [timeouts-file-base](#), 43
- [timeouts-file-per-byte](#), 43
- [timeouts-password](#), 43
- [timeouts-servlet-connection](#), 43
- [timeouts?](#), 43
- [timer](#) (struct), 47
- [timer-action](#), 47
- [timer-evt](#), 47
- [timer-expire-seconds](#), 47
- [timer-manager?](#), 47
- [timer-tm](#), 47
- [timer?](#), 47
- Timers, 47
- Troubleshooting and Tips, 56

[URL Param](#), 53
[url->path/c](#), 12
[url->servlet/c](#), 22
[url-path->string](#), 54
[url-replace-path](#), 54
 Virtual Hosts, 19
[virtual-host-table](#), 40
[virtual-hosts](#), 38
 Web Server configuration table, 40
 Web Server: HTTP Server, 1
 Web Servers, 36
[web-config*](#), 37
[web-config*](#), 38
[web-server-with-connect@](#), 36
[web-server/configuration/configuration-table](#), 39
[web-server/configuration/configuration-table-structs](#), 42
[web-server/configuration/namespace](#), 24
[web-server/configuration/responders](#), 44
[web-server/dispatchers/dispatch](#), 11
[web-server/dispatchers/dispatch-files](#), 20
[web-server/dispatchers/dispatch-filter](#), 14
[web-server/dispatchers/dispatch-host](#), 19
[web-server/dispatchers/dispatch-lift](#), 13
[web-server/dispatchers/dispatch-log](#), 17
[web-server/dispatchers/dispatch-logresp](#), 15
[web-server/dispatchers/dispatch-method](#), 14
[web-server/dispatchers/dispatch-passwords](#), 18
[web-server/dispatchers/dispatch-pathprocedure](#), 15
[web-server/dispatchers/dispatch-sequencer](#), 13
[web-server/dispatchers/dispatch-servlets](#), 22
[web-server/dispatchers/dispatch-stat](#), 26
[web-server/dispatchers/dispatch-timeout](#), 13
[web-server/dispatchers/dispatch-wrap](#), 28
[web-server/dispatchers/filesystem-map](#), 12
[web-server/dispatchers/limit](#), 26
[web-server/lang/serial-lambda](#), 50
[web-server/private/cache-table](#), 51
[web-server/private/connection-manager](#), 48
[web-server/private/define-closure](#), 51
[web-server/private/dispatch-server-sig](#), 2
[web-server/private/dispatch-server-unit](#), 9
[web-server/private/gzip](#), 54
[web-server/private/mime-types](#), 52
[web-server/private/mod-map](#), 53
[web-server/private/servlet](#), 25
[web-server/private/timer](#), 47
[web-server/private/url-param](#), 53
[web-server/private/util](#), 54
[web-server/safety-limits](#), 4
[web-server/servlet-dispatch](#), 33
[web-server/servlet/setup](#), 23
[web-server/web-config-sig](#), 37
[web-server/web-config-unit](#), 39
[web-server/web-server](#), 29
[web-server/web-server-sig](#), 36
[web-server/web-server-unit](#), 36
[web-server@](#), 37
[web-server*](#), 36
 Why this is useful, 25
 Wrapping Requests & Responses, 28
[write-configuration-table](#), 41
[write/bytes](#), 55